

Amendments to the Specification:

Please replace paragraph [0059] with the following amended paragraph:

[0059] The following references, to the extent that they provide exemplary procedural or other details supplementary to those set forth herein, are specifically incorporated herein by reference.

REFERENCES

1. Braak, H. & Braak, E. Neuropathological staging of Alzheimer-related changes. *Acta Neuropathol (Berl)* 82, 239-59 (1991).
2. Saitoh, T., Horsburgh, K. & Masliah, E. Hyperactivation of signal transduction systems in Alzheimer's disease. *Ann N Y Acad Sci* 695, 34-41 (1993).
3. Fowler, C.J., Cowburn, R.F., Garlind, A., Winblad, B. & O'Neill, C. Disturbances in signal transduction mechanisms in Alzheimer's disease. *Mol Cell Biochem* 149-150, 287-92 (1995).
4. Joseph, J.A., Cutler, R. & Roth, G.S. Changes in G protein-mediated signal transduction in aging and Alzheimer's disease. *Ann N Y Acad Sci* 695, 42-5 (1993).
5. Shimohama, S. et al. Aberrant phosphoinositide metabolism in Alzheimer's disease. *Ann N Y Acad Sci* 695, 46-9 (1993).

6. Matsushima, H., Shimohama, S., Chachin, M., Taniguchi, T. & Kimura, J. Ca^{2+} -dependent and Ca^{2+} -independent protein kinase C changes in the brain of patients with Alzheimer's disease. *J Neurochem* 67, 317-23 (1996).
7. Mattson, M.P. & Chan, S.L. Dysregulation of cellular calcium homeostasis in Alzheimer's disease: bad genes and bad habits. *J Mol Neurosci* 17, 205-24 (2001).
8. Fowler, C.J., Garlind, A., O'Neill, C. & Cowburn, R.F. Receptor-effector coupling dysfunctions in Alzheimer's disease. *Ann N Y Acad Sci* 786, 294-304 (1996).
9. Hisatomi, O. et al. A novel subtype of G-protein-coupled receptor kinase, GRK7, in teleost cone photoreceptors. *FEBS Lett* 424, 159-64. (1998).
10. Pitcher, J.A., Freedman, N.J. & Lefkowitz, R.J. G protein-coupled receptor kinases. *Annu Rev Biochem* 67, 653-92 (1998).
11. Sallese, M. et al. Regulation of G protein-coupled receptor kinase subtypes by calcium sensor proteins. *Biochim Biophys Acta* 1498, 112-21. (2000).
12. Bristow, M.R. et al. Beta-adrenergic pathways in nonfailing and failing human ventricular myocardium. *Circulation* 82, 112-25 (1990).
13. Ungerer, M., Kessebohm, K., Kronsbein, K., Lohse, M.J. & Richardt, G. Activation of beta-adrenergic receptor kinase during myocardial ischemia. *Circ Res* 79, 455-60 (1996).
14. Gros, R., Benovic, J.L., Tan, C.M. & Feldman, R.D. G-protein-coupled receptor kinase activity is increased in hypertension. *J Clin Invest* 99, 2087-93 (1997).

15. Premont, R.T., Inglese, J. & Lefkowitz, R.J. Protein kinases that phosphorylate activated G protein-coupled receptors. *Faseb J* 9, 175-82 (1995).
16. Chen, J., Makino, C.L., Peachey, N.S., Baylor, D.A. & Simon, M.I. Mechanisms of rhodopsin inactivation in vivo as revealed by a COOH-terminal truncation mutant. *Science* 267, 374-7 (1995).
17. Terwilliger, R.Z., Ortiz, J., Guitart, X. & Nestler, E.J. Chronic morphine administration increases beta-adrenergic receptor kinase (beta ARK) levels in the rat locus coeruleus. *J Neurochem* 63, 1983-6 (1994).
18. Barak, L.S., Warabi, K., Feng, X., Caron, M.G. & Kwatra, M.M. Real-time visualization of the cellular redistribution of G protein-coupled receptor kinase 2 and beta-arrestin 2 during homologous desensitization of the substance P receptor. *J Biol Chem* 274, 7565-9 (1999).
19. Harlan, J.E., Hajduk, P.J., Yoon, H.S. & Fesik, S.W. Pleckstrin homology domains bind to phosphatidylinositol-4,5-bisphosphate. *Nature* 371, 168-70 (1994).
20. DebBurman, S.K., Ptasienski, J., Benovic, J.L. & Hosey, M.M. G protein-coupled receptor kinase GRK2 is a phospholipid-dependent enzyme that can be conditionally activated by G protein betagamma subunits. *J Biol Chem* 271, 22552-62 (1996).

21. Freeman, J.L., Pitcher, J.A., Li, X., Bennett, V. & Lefkowitz, R.J. alpha-Actinin is a potent regulator of G protein-coupled receptor kinase activity and substrate specificity in vitro. *FEBS Lett* 473, 280-4 (2000).
22. Roth, G.S., Joseph, J.A. & Mason, R.P. Membrane alterations as causes of impaired signal transduction in Alzheimer's disease and aging. *Trends Neurosci* 18, 203-6 (1995).
23. Price, D.L. et al. Sequestration of tubulin in neurons in Alzheimer's disease. *Brain Res* 385, 305-10 (1986).
24. Wallace, M.A. Effects of Alzheimer's disease-related beta amyloid protein fragments on enzymes metabolizing phosphoinositides in brain. *Biochim Biophys Acta* 1227, 183-7 (1994).
25. Mattson, M.P. et al. beta-Amyloid peptides destabilize calcium homeostasis and render human cortical neurons vulnerable to excitotoxicity. *J Neurosci* 12, 376-89 (1992).
26. Chishti, M.A. et al. Early-onset amyloid deposition and cognitive deficits in transgenic mice expressing a double mutant form of APP695. *J Biol Chem* 276, 21562-70 (2001).
27. Schutzer, W.E., Reed, J.F., Bliziotis, M. & Mader, S.L. Upregulation of G protein-linked receptor kinases with advancing age in rat aorta. *Am J Physiol Regul Integr Comp Physiol* 280, R897-903 (2001).

28. Griffin, W.S. et al. Glial-neuronal interactions in Alzheimer's disease: the potential role of a 'cytokine cycle' in disease progression. *Brain Pathol* 8, 65-72 (1998).
29. Suo, Z. et al. Participation of protease-activated receptor-1 in thrombin-induced microglial activation. *J Neurochem* 80, 655-66 (2002).
30. Crawford, F. et al. Alzheimer's beta-amyloid vasoactivity: identification of a novel beta- amyloid conformational intermediate. *FEBS Lett* 436, 445-8 (1998).
31. Tiruppathi, C. et al. G protein-coupled receptor kinase-5 regulates thrombin-activated signaling in endothelial cells. *Proc Natl Acad Sci U S A* 97, 7440-5 (2000).
32. Shapiro, M.J., Weiss, E.J., Faruqi, T.R. & Coughlin, S.R. Protease-activated receptors 1 and 4 are shut off with distinct kinetics after activation by thrombin. *J Biol Chem* 275, 25216-21. (2000).
33. Noda, M., Nakanishi, H., Nabekura, J. & Akaike, N. AMPA-kainate subtypes of glutamate receptor in rat cerebral microglia. *J Neurosci* 20, 251-8 (2000).
34. Hajjar, A.M., Ernst, R.K., Tsai, J.H., Wilson, C.B. & Miller, S.I. Human Toll-like receptor 4 recognizes host-specific LPS modifications. *Nat Immunol* 3, 354-9 (2002).
35. Stanciu, M. et al. Persistent activation of ERK contributes to glutamate-induced oxidative toxicity in a neuronal cell line and primary cortical neuron cultures. *J Biol Chem* 275, 12200-6 (2000).

36. Iversen, L.L., Mortishire-Smith, R.J., Pollack, S.J. & Shearman, M.S. The toxicity in vitro of beta-amyloid protein. *Biochem J* 311, 1-16 (1995).
37. Meda, L. et al. Activation of microglial cells by beta-amyloid protein and interferon- gamma. *Nature* 374, 647-50 (1995).
38. Lue, L.F. et al. Soluble amyloid beta peptide concentration as a predictor of synaptic change in Alzheimer's disease. *Am J Pathol* 155, 853-62 (1999).
39. Sigurdsson, E.M., Scholtzova, H., Mehta, P.D., Frangione, B. & Wisniewski, T. Immunization with a nontoxic/nonfibrillar amyloid-beta homologous peptide reduces Alzheimer's disease-associated pathology in transgenic mice. *Am J Pathol* 159, 439-47. (2001).
40. Lewis, J. et al. Enhanced neurofibrillary degeneration in transgenic mice expressing mutant tau and APP. *Science* 293, 1487-91 (2001).
41. Sandhu, F.A. et al. NMDA and AMPA receptors in transgenic mice expressing human beta- amyloid protein. *J Neurochem* 61, 2286-9. (1993).
42. Smith, D.H. et al. Brain trauma induces massive hippocampal neuron death linked to a surge in beta-amyloid levels in mice overexpressing mutant amyloid precursor protein. *Am J Pathol* 153, 1005-10 (1998).
43. Aragay, A.M. et al. Monocyte chemoattractant protein-1-induced CCR2B receptor desensitization mediated by the G protein-coupled receptor kinase 2. *Proc Natl Acad Sci U S A* 95, 2985-90 (1998).

44. Crawford, F., Suo, Z., Fang, C. & Mullan, M. Characteristics of the in vitro vasoactivity of beta-amyloid peptides. *Exp Neurol* 150, 159-68 (1998).
45. Suo, Z. et al. Soluble Alzheimers beta-amyloid constricts the cerebral vasculature in vivo. *Neurosci Lett* 257, 77-80 (1998).
46. Cowburn R. F., C. O'Neill, W. L. Bonkale, T. G. Ohm, and J. Fastbom. February 2001. Receptor-G-protein signalling in Alzheimer's disease. *Biochemical Society Symposia* 67:163-175.
47. Federal Interagency Forum on Aging-Related Statistics. 2000. Older Americans 2000: Key Indicators of Well-Being. Web—site: <http://www.agingstats.gov/chartbook2000/population.html>. (January 14, 2002.)
48. FMG Innovations dba Alzheimer's Test Kit. 2001. Early Alert Alzheimer's Home Screening Test. April 23, 2001. Web—site: <http://www.alzheimerstestkit.com/> (October 8, 2001.)
49. Fraser P. E., G. Yu, L. Levesque, M. Nishimura, D. S. Yang, H. T. J. Mount, D. Westaway, and P. H. St-George-Hyslop. February 2001. Presenilin function: connections to Alzheimer's disease and signal transduction. *Biochemical Society Symposia* 67:89-100.
50. Freeman J. L., E. M. De La Cruz, T. D. Pollard, R. J. Lefkowitz, and J. A. Pitcher. August 7, 1998. Regulation of G protein-coupled receptor kinase 5 (GRK5) by actin. *Journal of Biological Chemistry* 273(32):20653-20657.

51. Market News Publishing Inc. 2001. Nycomed Amersham Imaging and Neurochem collaborate to create Alzheimer's diagnostic. *Intelihealth Inc.* July 19, 2001. Web site: <http://ipn.intelihealth.com/IPN/intelIPNAWSIPN000/23883/7194/328776.html>.
(October 8, 2001.)
52. McLean C. A., R. A. Cherny, F. W. Fraser, S. J. Fuller, M. J. Smith, K. Beyreuther, Al Bush, and C. L. Masters. December 1999. Soluble pool of A β amyloid as a determinant of severity of neurodegeneration in Alzheimer's disease. *Annals of Neurology* 46:860-866.
53. Medical Devicelink. 1997. Test developers pursue early Alzheimer's disease diagnostic. *IVD Technology Magazine*. March 1997. Web site: <http://www.devicelink.com/ivdt/archive/97/03/003.html>. (October 8, 2001.)
54. National Institute on Aging. 2001. *Alzheimer's Disease Fact Sheet*. Alzheimer's Disease Education & Referral Center, National Institute on Aging, National Institutes of Health. 2001. Web site: <http://www.alzheimers.org/pubs/adfact.html>.
(December 5, 2002.)
55. National Institutes of Health. 1994. *Alzheimer's Disease*. Web site: <http://www.pueblo.gsa.gov/cic-text/health/alzheim/alzheim.htm>. (October 8, 2001.)

56. Neve R. L., D. L. McPhie, and Y. Chen. February 2001. Alzheimer's disease: dysfunction of a signalling pathway mediated by the amyloid precursor protein? *Biochemical Society Symposia* 67:37-50.
57. O'Neill C., R. F. Cowburn, W. L. Bonkale, T. G. Ohm, J. Fastbom, M. Carmody, and M. Kelliher. February 2001. Dysfunctional intracellular calcium homoeostasis: a central cause of neurodegeneration in Alzheimer's disease. *Biochemical Society Symposia* 67:177-194.
58. Pitcher J. A., R. A. Hall, Y. Daaka, J. Zhang, S. S.G. Ferguson, S. Hester, S. Miller, M. G. Caron, R. J. Lefkowitz, and L. S. Barak. May 15, 1998. The G protein-coupled receptor kinase 2 is a microtubule-associated protein kinase that phosphorylates tubulin. *Journal of Biological Chemistry* 273(20):12316-12324.
59. Silva, Chris. 2001. Joining the great chase: Rockville biotech firm is among those racing to find an Alzheimer's cure. *Washington Business Journal*. May 25, 2001. Web site: <http://washington.bcentral.com/washington/stories/2001/05/28/focus1.html>.
(October 8, 2001.)
60. Strittmatter W. J. February 2001. Apolipoprotein E and Alzheimer's disease: signal transduction mechanisms. *Biochemical Society Symposia* 67:101-109.

Appl. No. 10/524,060

Amdt. After Final Rejection dated May 15, 2007

Reply to Office Action (Final Rejection) of February 1, 2007

61. Suo Z., M. Wu, S. Ameenuddin, H. E. Anderson, J. E. Zoloty, B. A. Citron, P. Andrade-Gordon, and B. W. Festoff. February 2002. Participation of protease-activated receptor-1 in thrombin-induced microglial activation. *Journal of Neurochemistry* 80(4):655-666.